DOCUMENT SCAN CONTROL SHEET

Document ID 68955

Product ID 38733

EPA # 538-282

Accepted 4/28/2004 Date TREATS
TREATS
5,000
SQUARE
FEET

Kills Weeds and Feeds Your Lawn!

24984 11

> APPLY ANYTIME WEEDS ARE GROWING



Turf Builder

WITH


PLUS 2. WEED CONTROL

LAWN FERTILIZER AND BROADLEAF WEED CONTROL



- Apply to a wet lawn for best results
- Kills dandelions, clover and most other broadleaf weeds
- Builds thick, green turf from the roots up without burning your lawn

COVERS **5,000 SQ. FT.** (0.11 ACRE)



TIMING: APPLY ANYTIME WEEDS ARE GROWING

Learn more at SCOTTS.com

ACTIVE INGREDIENTS:

 2,4-0†
 1.21%

 Mecoprop-p††
 0.61%

 OTHER INGREDIENTS:
 98.18%

iotai

†CAS #94-75-7 ††CAS #16484-77-8

KEEP OUT OF REACH OF CHILDREN CAUTION

See back for additional precautionary statements. Made in U.S.A.

NET WEIGHT 14.29 lb (6.48 kg)

28-3-3

DO NOT USE ON ST. AUGUSTINEGRASS, FLORATAM, DICHONDRA, LIPPIA, CARPETGRASS OR BENTGRASS LAWNS.

Scotts.

FLUS 2. WEED CONTROL



The Scotts **Advantage**

"If it doesn't stick, it just doesn't work!"""

- · Weed killers work by entering through the weeds' leaves. Make sure to apply Turf Builder with Plus 2 Weed Control to a wet lawn, so the particles stick better.
- Scotts Turf Builder with Plus 2 Weed Control has tiny, lightweight particles that stick to weeds far better than larger pellets of other weed killers for better weed control.
- Plus, Scotts has All-in-One* Particles® that each contain all of the feeding nutrients and the weed control ingredient to provide consistent feeding and weed control to every square inch of your turf.
- The result: A thick, green lawn with no weeds. Guaranteed!

Tiny particles stick to weeds better than larger pellets





Turf Builder® With Plus 2®

Ordinary Mixed Fertilizers

*All-in-One Particles = nitrogen, phosphorus, potassium and the weed control ingredient contained in every particle

For southern lawns, use on bermudagrass, bahiagrass, tall fescue or zoysiagrass. Choose the Right Product for the Situation

If you don't have weeds in your lawn, your lawn still needs to be fed to keep it thick and green. Use Scotts® Turf Builder® Lawn Fertilizer and then spot treat with Ortho® Weed-B-Gon® if weeds pop up later in the year.



For a thick, green lawn follow Scotts Annual Program.

- · Start the program at any time.
- · Allow 2 months between applications.



Take The Guesswork Out Of Lawn Care

For a customized Scotts Annual Lawn Care Program for your area, visit scotts.com. Sign up for our free Scotts Lawn Care E-mail Reminder Service. Receive timely tips about what products to use and when to apply them for your best lawn ever!

Spreader Settings

For best results, use a Scotts spreader. **Scotts Rotary Spreaders**

KEY PRODUCT FACTS

Directions for Use

It is a volation of Federal law to use this product in a manner inconsistent with its labeling.

Make sure that the grass is wet from dew or sprinkling before applying. (This helps particles adhere to weed leaves to produce best results.)

• Set spreader to the setting indicated by the chart on right before applying.

What To Avoid

- What To Avoid

 Do not water or mow lawn for at least 24 hours after application. (Granules must remain on weed leaves for 24 hours to be effective.)

 Do not apply if rain is expected within 24 hours.

 Do not apply if day temperatures are regularly below 60° or above 90°F.

 For maximum product effectiveness, keep people and animals off lawn after treatment.

 Apply only to grass. Do not allow granules or dust to drift onto flowers, shrubs, fruit or vegetables

 Grass should not touch the bottom of a drop spreader. Tall grass should be mowed a day or two before anolication.
- Delay application on newly seeded, sodded or sprigged areas until new grass has been in four times.
- Do not seed, sod or plant grass sprigs until at least one month after using this product.
 Do not apply on St. Augustinegrass, Floratam, dichondra, lippia, carpetgrass, or bentgrass.
 On bahia or centipedegrass lawns, wait until after the second mowing of the year, but NOT before mid-March.
- In fall, DO NOT treat centipedegrass after Oct. 1, nor bahlagrass after Nov. 1.
- Apply on a calm day.

 This product applies 1.5 pounds of 2,4-D per acre per application. Do not apply more than

Scotts SpeedyGreen® & EdgeGuard® (passes within 5 feet of each other)

Scotts Drop Spreaders Make sure spreader wheel comp overlaps previous wheel marks. Scotts PrecisionGreen

51/4 41/4

31/4

Additional
Spreader
Settings

Z Drop, Republic (#530)	41/
Z Broadcast, Republic (#540)	21/2
Scotts Broadcast Tractor Spreader	21/2

First Aid and Environmental Information

CAUTION Keep out of the reach of children and pets. Causes eye irritation. Harmful if swallowed.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

MAZARDS TO HUMBARS AND UNITESTIC ANIMALS

Avoid contact with eyes, skin or clothing. After use, remove clothing and launder separately before reuse, wash hands and exposed skin thoroughly with soap and water.

Do not allow people (other than the applicator) or pets on treatment area during application or after treatment until dust (if any) has settled.

Storage and Disposal

STORAGE: Store in a clean, dry place. Reseal opened bag by folding top down and securing.

DISPOSAL: If Empty: Do not reuse this container. Place in trash or offer for recycling DISPOSAL: It Empty: DO NOT TRUST with a solid life and solid life and solid life and solid life and solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

- If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes.

 Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye.

 If on skin: Take off contaminated clothing. Rinse skin immediately with plenty of water for
- 19-20 minutes.

 18 swallowed: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

If Inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. all a polson control center or doctor for further treatment advice. Have the product container Call a poison control center or doctor for further treatment advice. Have the produce or label with you when calling poison control center or doctor, or going for treatment and the call of the call

Environmental Hazards

Questions / Information Consumer Helpline 1-800-543-TURF (8873) Visit our website

Do not apply when weather conditions favor drift from target areas. Drift or runoff may adversely affect non-target plants. Do not apply directly to water. Do not contamina when disposing of equipment washwaters.

Guaranteed Analysis

Turf Builder With Plus 2 Weed Control	28-3-3	F 643
Total nitrogen (N)		 28%
10.4% urea nitrogen		
7.8% other water soluble nitrogen*		
0.8% water insoluble nitrogen		
Available phosphate (P2O5)	********	 3%
Soluble potash (K ₂ O)		 3%
Sulfur (S) (Combined)		 119
Derived from: methyleneurea, ammonium phosph		

*Contains 5.7% slowly available methylenediurea and dimethylenetriurea nitrogen. EPA Reg. No. 538-282

The Scotts Company 14111 Scottslawn Rd. NYSE Marysville, Ohio 43041 Scotts No-Quibble Guarantee

If for any reason you, the consumer, are not satisfied after using this product, you are entitled to get your money back. Simply send us evidence of purchase, and we will mail you a refund check promptly.

Dedicated To A Beautiful World
Trusted by generations of homeowners, Scotts is
dedicated to helping you enhance and protect the
natural beauty of your home environment.

U.S. Patent No. 5,102,440
Product of U.S.A.
©2003, Licensed by The Scotts Company
World rights reserved.
Information regarding the contents and levels of
metals in this product is available on the internet
at http://www.regulatory-info-sc.com.

